


**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**





Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**



**Front**  
Branding :  
50 x 50 mm (w x h)  
**Pad Print**  
**or Complimentary**  
**Laser Engrave**

**@100%**

**PK070**

**Box Dimensions 85x 85x 23 mm**

**Back**


Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**

CXO6R Shell BK FRAME GY LED WE Cable R-BK Connector GY/BK



**Front**

Branding : 20 x 20 mm (w x h)  
 Light Up Engrave - - - - -

Branding : 30 mm Diameter  
 4CP Digital Print, Pad Print - - - - -



**Rear**

Branding : 30 mm Diameter  
 4CP Digital Print, Pad Print

100%  
 10mm

**Light-up Logo Colour Options:**  
 White(Default),  
 Red, Green, Blue,  
 Orange, Yellow,  
 or Dynamic Multicolour (RGB)


PARTS KEY:


Shell		BK
LED		WE
Frame		GY
Cable		BK
Input x2		BK, GY-BK
Output x3		GY-BK (x3)

 Cords made from recycled bottles other parts made of eco-friendly materials

 Patented Product

 RoHS COMPLIANT

 UKCA



23.05.30


Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.




**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**

C13R Shell RD   FRAME WE   LED WE   Cable R-RD   Connector RD/WE



**USB-C**

**Lightning**

**Micro USB**

**USB-A**

**USB-C**

**@75%**

**Front**  
 Branding : 20 x 20 mm (w x h)  
 Light Up Engrave - - - - -

**Rear**  
 Branding : 30 mm Diameter  
 4CP Digital Print, Pad Print - - - - -

**Light-up Logo Colour Options:**  
 White(Default),  
 Red, Green, Blue,  
 Orange, Yellow,  
 or Dynamic Multicolour (RGB)

**PARTS KEY:**

- Shell — RD
- LED — WE
- Frame — WE
- Cable — RD
- Input x2 — RD, RD-WE
- Output x3 — RD-WE (x3)

100%  
10mm

Cords made from recycled bottles  
 other parts made of eco-friendly materials

Patented Product

RoHS  
 REACH COMPLIANT

UK  
 CCA

23.05.30

Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1601**

**Novara 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.5 dia. x 9.2 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.