


**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.



**AR1602**

## Solento 60W Fast Charge and Data Sync LED Cable

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print

**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**



**Front**

Branding :  
50 x 50 mm (w x h)  
**Pad Print**  
**or Complimentary**  
**Laser Engrave**

**@100%**

**PK070**

**Box Dimensions 85x 85x 23 mm**

**Back**

Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.


**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print

**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.



**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**




Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**



**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**



Red & White/CW13




Rear - None

**Front**  
 Branding : 20 x 20 mm (w x h)  
 Light Up Engrave - - - - -  
 Branding : 30 mm Diameter  
 4CP Digital Print, Pad Print - - - - -



LED White



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

**AR1602**

**Solento 60W Fast Charge and Data Sync LED Cable**

**Branding Options:** Light-Up Logo, 4CP Digital Print, Pad Print  
**Product Size:** Cable Retainer: 34.9 dia. x 9.8 mm, Cable Length: 120 cm

**Colours:**



Please follow these artwork guidelines • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any necessary colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All specifics need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.